



जवाहरलाल नेहरू पोर्ट ट्रस्ट JAWAHARLAL NEHRU PORT TRUST



प्रशासन भवन, शेवा, ता. उरण, नई मुंबई - 400 707 दूरभाष : 2724 2623-632 फॅक्स :

ADMN. BLDG., SHEVA, TAL-URAN, NAVI MUMBAI - 400 707. Tel. : 2724 2623-632 E-mail : jawahar@giasbm01.vsnl.net.in Fax :

Ref. No: JNP/CM (O)/TN/2005/2615

3 September 2005

TRADE NOTICE

Sub: Fixing Bottle Seal on all laden containers to be handled at JNP Container Terminal.

As a part of Port security measures and minimize pilferage of containerized cargo, it has been decided that all the laden boxes/containers arriving at JNP Container Terminal by any mode i.e. by rail or by road must be affixed with bottle seal (and not Strip seal). Any laden container without proper bottle seal will not be handled at JNP CT.

Accordingly, the advance list in respect of Import laden containers shall clearly indicate affixed bottle seal number along with other requisite details and such list shall be submitted to the Planning Section of JNP CT prior to berthing of vessels alongside for import discharge, to enable JNP CT to plan import laden containers through computer system with relevant details including bottle seal number. Similarly, any laden container arriving at JNP CT either by rail or by road for export purpose shall also be affixed with a bottle seal. The container number, corresponding bottle seal number and other requisite details shall be furnished in "Form-13" and "Form-11" in respect of export laden containers arriving at JNP CT by road and rail respectively.

All shipping Lines, Shipping Agents, CFS Operators and EXIM Trade Partners are requested to take note of this TRADE NOTICE and extend their co-operation by giving wide publicity for ensuring handling of laden containers arriving at JN Port, with proper bottle seal with effect from 1st October 2005.

CHIEF MANAGER (OPRNS)

To,

1. All Shipping Lines/Agents
2. MANSA, BCHAA, CSLA, INSA, BCCI
3. All CFS Operators
4. Customs/CONCOR
5. NSICT
6. All India Exporters Association/CII/WISA
7. Engineering E
8. Export Promotion Council